

# SAFETY DATA SHEET

Supersedes Date: 17-Jul-2015 Revision Date: 24-Jan-2017 Version: 1.1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### **Product identifier**

Product Label Name Gel Break

Other means of identification

UPC Code(s) Not applicable

Product code CS05 Synonyms None

#### Recommended use of the chemical and restrictions on use

Recommended Use Adhesive remover

**Uses advised against** Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

Bridgepoint Systems Bridgewater

4282 South 590 West
Salt Lake City, UT 84123
Salt Lake City, UT 84123
Salt Lake City, UT 84123

USA USA

**Emergency telephone number** 

Company Phone Number 1-800-658-5314

Company Emergency Phone United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization                | Category 1 |
| Flammable Liquids                 | Category 3 |

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### Warning

#### **Hazard Statements**

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Flammable liquid and vapor



Appearance Clear Liquid Physical state liquid Odor Orange

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, dry chemical, or foam for extinction

Collect spillage

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

### Other information

- Harmful to aquatic life with long lasting effects
- Harmful to aquatic life
- · Avoid release to the environment

General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                     | CAS-No     | Weight % | Trade Secret |
|-----------------------------------|------------|----------|--------------|
| D-Limonene                        | 5989-27-5  | 40-60    | *            |
| Diethylene glycol monobutyl ether | 112-34-5   | 30-40    | *            |
| 2-(2-methoxypropoxy)propano       | 34590-94-8 | 7-13     | *            |
| Alcohols, C9-11, ethoxylated      | 68439-46-3 | 5-10     | *            |
| Propylene glycol monomethyl ether | 107-98-2   | 1 - 5    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is

not required.

**Toxic - Inhalation** Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial

respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention

is not required. If symptoms persist, call a physician.

**Ingestion** Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything

by mouth to an unconscious person.

**Protection of First-aiders**Use personal protective equipment.

#### Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use:. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

# Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Hazardous Combustion** 

No information available.

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take

precautionary measures against static discharges.

**Advice for emergency responders** For personal protection see section 8.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder

spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures

against static discharges.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove

and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic

vapors).

Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat

and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Packaging material Keep product in packaging product is initially sold in.

**Incompatible products**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

| Chemical Name                     | ACGIH TLV     | OSHA PEL                  | NIOSH IDLH      |
|-----------------------------------|---------------|---------------------------|-----------------|
| 2-(2-methoxypropoxy)propano       | STEL: 150 ppm | TWA: 100 ppm              | IDLH: 600 ppm   |
| 34590-94-8                        | TWA: 100 ppm  | TWA: 600 mg/m3            | TWA: 100 ppm    |
|                                   | S*            | (vacated) TWA: 100 ppm    | TWA: 600 mg/m3  |
|                                   |               | (vacated) TWA: 600 mg/m3  | STEL: 150 ppm   |
|                                   |               | (vacated) STEL: 150 ppm   | STEL: 900 mg/m3 |
|                                   |               | (vacated) STEL: 900 mg/m3 |                 |
|                                   |               | (vacated) S*              |                 |
|                                   |               | S*                        |                 |
| Propylene glycol monomethyl ether | STEL: 100 ppm | (vacated) TWA: 100 ppm    | TWA: 100 ppm    |
| 107-98-2                          | TWA: 50 ppm   | (vacated) TWA: 360 mg/m3  | TWA: 360 mg/m3  |
|                                   |               | (vacated) STEL: 150 ppm   | STEL: 150 ppm   |
|                                   |               | (vacated) STEL: 540 mg/m3 | STEL: 540 mg/m3 |

| Diethylene glycol monobutyl ether | TWA: 10 ppm inhalable fraction |  |
|-----------------------------------|--------------------------------|--|
| 112-34-5                          | and vapor                      |  |

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face-shield.

**Skin and body protection**No special protective equipment required.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke

when using this product. Remove and wash contaminated clothing before re-use.

Closed cup

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state liquid

Appearance Clear Liquid Odor Orange

Color colorless Odor threshold No information available

Property Values Remarks • Method

**pH** 7.0 – 8.0

Melting point No information available

Boiling point/boiling range > 176 °C / 348 °F

Flash Point 54 °C / 135 °F

**Evaporation rate** Same as water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 0.965

Water solubility Miscible in water

Solubility in other solvents
Partition coefficient: n-octanol/water No information available
Autoignition temperature
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
No information available

Other information

Softening point No information available

Molecular weightNo information availableVOC Content(%)No information availableDensity VALUENo information availableBulk Density VALUENo information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

#### **Conditions to Avoid**

Heat, flames and sparks.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Toxic - Inhalation** May be harmful if inhaled. Avoid breathing vapors or mists.

**Eye contact** Risk of serious damage to eyes. Avoid contact with eyes.

**Skin contact** Irritating to skin. Avoid contact with skin.

**Ingestion** May be harmful if swallowed.

| Chemical Name                                 | Oral LD50          | Dermal LD50             | Inhalation LC50 |
|---|--------------------|-------------------------|-----------------|
| Orange Terpenes<br>5989-27-5                  | = 4400 mg/kg (Rat) | > 5 g/kg (Rabbit)       |                 |
| 2-(2-methoxypropoxy)propano<br>34590-94-8     | = 5230 mg/kg (Rat) | = 9500 mg/kg ( Rabbit ) |                 |
| ALCOHOLS, C9-11,<br>ETHOXYLATED<br>68439-46-3 | 1400 mg/kg (Rat)   | >2 g/kg (Rabbit)        |                 |
| 2-(2-Butoxyéthoxy)éthanol<br>112-34-5         | = 5660 mg/kg (Rat) | = 2700 mg/kg (Rabbit)   |                 |

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.

Germ Cell Mutagenicity No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| Orange Terpenes | -     | Group 3 | =   | X    |
| 5989-27-5       |       | •       |     |      |

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Developmental Toxicity

STOT - single exposure
STOT - repeated exposure

No information available.
No information available.
No information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

**Target Organ Effects** Eyes, Respiratory system, Skin, Central nervous system.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) >5000 mg/kg ATEmix (dermal) >5000 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0.72% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name                              | Toxicity to algae                              | Toxicity to fish   | Toxicity to daphnia and other aquatic invertebrates                        |
|--|--|--|--|
| Orange Terpenes<br>5989-27-5               |  | 0.619 - 0.796: 96 h Pimephales<br>promelas mg/L LC50 flow-through<br>35: 96 h Oncorhynchus mykiss<br>mg/L LC50 |  |
| 2-(2-methoxypropoxy)propano<br>34590-94-8  |  | 10000: 96 h Pimephales promelas<br>mg/L LC50 static  | 1919: 48 h Daphnia magna mg/L<br>LC50                                      |
| Diethylene glycol monobutyl ether 112-34-5 | 100: 96 h Desmodesmus<br>subspicatus mg/L EC50 | 1300: 96 h Lepomis macrochirus<br>mg/L LC50 static   | 100: 48 h Daphnia magna mg/L<br>EC50 2850: 24 h Daphnia magna<br>mg/L EC50 |

#### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

| Chemical Name                             | Partition coefficient |
|---|-----------------------|
| 2-(2-methoxypropoxy)propano<br>34590-94-8 | -0.064                |

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name   | California Hazardous Waste Status |
|-----------------|-----------------------------------|
| Orange Terpenes | Toxic                             |
| 5989-27-5       |                                   |

# 14. TRANSPORT INFORMATION

DOT

UN/ID No UN1993

Proper shipping name Flammable liquids, n.o.s. (Contains: d-Limonene)

**Hazard class Packing Group** 

**Special Provisions** B1, B52, IB3, T4, TP1, TP29

129

**Emergency Response Guide** 

Number

**49CFR Limited Quantity** For flammable liquids in Packing Group III and combustible liquids, inner packagings not over

5.0 L (1.3 gallons) net capacity each, packed in a strong outer packaging.

**IMDG** 

UN/ID No UN1993

Proper shipping name Flammable liquids, n.o.s. (Contains: d-Limonene)

**Hazard class Packing Group** Ш EmS No. F-A, S-B

**IATA** Not recommended for transportation by air.

**UN/ID No** 

Proper shipping name

**Hazard class Packing Group Special Provisions** 

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies

Sudden Release of Pressure Hazard

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

**Reactive Hazard** 

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name                            | SARA 313 - Threshold Values % |
|--|-------------------------------|
| 2-(2-methoxypropoxy)propano - 34590-94-8 | 1.0                           |
| SARA 311/312 Hazard Categories           |                               |
| Acute Health Hazard                      | Yes                           |
| Chronic Health Hazard                    | No                            |
| Fire Hazard                              | Yes                           |

No

No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

| Chemical Name               | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------|------------|---------------|--------------|
| 2-(2-methoxypropoxy)propano | X          | X             | X            |
| 34590-94-8                  |            |               |              |

#### U.S. EPA Label information

**EPA Pesticide Registration Number** Not applicable

| 40  | $\sim$ T |      |     |     | 284   | A T          |     |
|-----|----------|------|-----|-----|-------|--------------|-----|
| 16. | ΟI       | THER | INI | -Or | K IVI | $\mathbf{A}$ | ION |

NFPA Health hazard 2 Flammability 2 Instability 0 Physical and chemical

hazards -

<u>HMIS</u> Health hazard 2 Flammability 2 Physical Hazard 0 Personal protection X

Prepared By Bridgepoint Systems

**Environmental Health & Safety** 

Revision Date 24-Jan-2017

**Revision Note** 

08-Aug-2016 - Added Boiling Point Data

### **Disclaimer**

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**