

# SAFETY DATA SHEET

Supersedes Date: 21-Sept-2015

Revision Date: 21-Sept-2015

Version 1

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Label Name	EncapuGuard Green
Other means of identification	
UPC Code(s)	Not applicable
Product code	CR13
Synonyms	None

#### Recommended use of the chemical and restrictions on use

Recommended Use	Post cleaning protective treatment.	
Uses advised against	Follow label instructions.	Not recommended for any use except intended use.

Manufacturer Address **Bridgepoint Systems** 4282 South 590 West Salt Lake City, UT 84123

USA

#### Supplier's details

Supplier Address
Bridgepoint Systems
4282 South 590 West
Salt Lake City, UT 84123
USA

#### Emergency telephone number

**Company Phone Number** 1-800-658-5314 United States: 1-800-535-5053 (INFOTRAC - 24 hours, 7 days a week) **Company Emergency Phone** International: 1-352-323-3500 (INFOTRAC - 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

#### 2. HAZARDS IDENTIFICATION

### **Classification**

Number

#### **OSHA Regulatory Status**

**Emergency telephone** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

### Warning

Hazard Statements Causes skin irritation Causes serious eye irritation



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Keep out of reach of children

#### Hazards not otherwise classified (HNOC)

First aid measures for different exposure routes

#### Other information

- May be harmful in contact with skin
- May cause drowsiness or dizziness
  - General Hazards

Please see Section 11. Toxicological Information for further information

2.2611% of the mixture consists of ingredient(s) of unknown toxicity

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Proprietary Polymer	Proprietary	1 - 5	*
Isopropyl alcohol	67-63-0	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

General advice	If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Toxic - Inhalation	Move to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors.

Ingestion	Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.	
Protection of First-aiders	Use personal protective equipment.	
Most important symptoms/effects, a	cute and delayed	
Main Symptoms	No information available.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Advice for emergency responders	For personal protection see section 8.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and materials for containment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Wear personal protective equipment. Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist.	
Conditions for safe storage, inclu	uding any incompatibilities	
Technical measures/Storage conditions	Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.	
Packaging material	Keep product in packaging product is initially sold in.	
Incompatible products	None known based on information supplied.	

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	-
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2	0 0	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin and body protection	No special protective equipment required.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Appearance Color	liquid Clear Liquid amber
Property pH Melting point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	<u>Values</u> 2.6 No information available No information available > 94 °C / > 201 °F No information available No information available
Upper Flammability Limit Lower Flammability Limit Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing Properties	No information available No information available No information available No information available 1.014 Soluble in water No information available er No information available No information available No information available 200 No information available No information available No information available No information available
Other information Softening point Molecular weight	No information available No information available

Odor Odor threshold Acrid No information available

#### Remarks • Method

**10. STABILITY AND REACTIVITY** 

#### Reactivity

VOC Content(%)

Density VALUE

Bulk Density VALUE

<u>Chemical stability</u> Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

None under normal processing.

No information available

No information available

1.014

#### Conditions to Avoid

Extremes of temperature and direct sunlight.

#### Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Toxic - Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Eye contact	Avoid contact with eyes. Irritating to eyes.
Skin contact	Avoid contact with skin. Irritating to skin.
Ingestion	Do not taste or swallow. Ingestion may cause stomach discomfort. May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Polymer	5000 mg/kg (Rat)	5000 mg/kg (Rabbit)	
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No informatio	n available.		
Eye damage/irritation	No informatio	n available.		
Sensitization	No informatio	n available.		
Germ Cell Mutagenicity	No informatio	n available.		
Carcinogenicity	The table bel	ow indicates whether ea	ach agency has listed any in	gredient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		
IARC: (International Age	ency for Research on Cance	er)		
	e as to Carcinogenicity in Hurr			
Reproductive toxicity	No informatio	n available.		
Developmental Toxicity	No informatio	n available.		
STOT - single exposure	No informatio	No information available.		
STOT - repeated exposur	e No informatio	e No information available.		
Chronic toxicity	Avoid repeate	ed exposure.		
Aspiration hazard	No informatio	n available.		
Numerical measures of to	oxicity - Product Inform	nation		
Unknown acute toxicity			gredient(s) of unknown toxi	city

 The following values are calculated based on chapter 3.1 of the GHS document
 .

 ATEmix (oral)
 5765 mg/kg

 ATEmix (dermal)
 5765 mg/kg

### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

88.9902% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates
Isopropyl alcohol	1000: 96 h Desmodesmus	1400000: 96 h Lepomis macrochirus	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	µg/L LC50 11130: 96 h Pimephales	EC50
	Desmodesmus subspicatus mg/L	promelas mg/L LC50 static 9640: 96	
	EC50	h Pimephales promelas mg/L LC50	
		flow-through	

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05

Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic
67-63-0	Ignitable

### **14. TRANSPORT INFORMATION**

DOT	Not regulated
IMDG	Not regulated

IATA Not regulated

#### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No

#### **Reactive Hazard**

No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	Х	Х	Х
Sodium Sulfate 7757-82-6		Х	Х
Sodium Hydroxide 1310-73-2	Х	X	Х

#### U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA	Health hazard 1	Flammability	1	Instability 0	Physical and chemical hazards		
HMIS	Health hazard 1	Flammability	1	Physical Hazard 0	Personal protection X		
Prepared By	Bridgepoint Systems Environmental Health & Safety Manager						
Revision Date	21-Sept-2015						
Revision Note							
No information available <b>Disclaimer</b>							

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**