Advanced SE Maxpack TLC

Page 1
Compilation Date: 1 January 2006

Issue Date: 6 July 2022 Revision No: 3.1

1. Chemical Product and Company Identification

Product Name Maxpak TLC Other Means of None

Identification
Product Code

Product Code 5lt:41-487, 15lt: 41-488

Product Use Prespray for traffic lane cleaning

Supplier Solo Pak Pty Ltd 29 076 652 269

Mail Address PO Box 67, Brisbane Markets QLD, 4106

Email sales@solopak.com.au

Telephone: 1300 307 755

Emergency Poisons Information Centre (National) 131126

Telephone:

2. Hazards Identification

Classification of the substance or mixture

This product is classified as: Xi, Irritating. Hazardous according to the criteria of SWA.

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

Poisons Schedule None allocated

Risk Phrases [1] R36/38 Irritating to eyes and skin

GHS Classification | A

Acute toxicity, oral – Category 5 Serious eye damage – Category 1

GHS Label Elements



SIGNAL WORD DANGER

Hazard Statement(s)

H303 May be harmful if swallowed.
H318 May causes serious eye damage.

Prevention(s)

P102 Keep out of reach of children.

P280 Wear protective gloves / protective clothing / eye

Page 1 of 9 Maxpak TLC SDS Version 3.1 Created 6 July 2022

Advanced SE Maxpak TLC

protection / face protection.

Immediately call a POISON CENTER or doctor/physician.

Refer to the SDS before using the product.

Response

P310

P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303+P361+P353 | IF ON SKIN (or hair): Remove immediately all

contaminated clothing. Rinse skin with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

P305+P351+P338

Storage

P310

P405 Store locked up

Disposal

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

3. Composition/Information on Ingredients

(Listed when present at 1% or greater, carcinogens at 0.1% or greater)

Chemical Name	CAS Registry Number	% Weight	Hazard Information
Tetrapotassium pyrophosphate	7320-34-5	<10	H319: Causes serious eye irritation
2-butoxyethanol	112-34-5	<10	H227 Combustible liquid. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. TWA: 25ppm Skin, STEL 50ppm
Alcohol ethoxylate	75534-59-7	<5	H302: Acute toxicity (Oral) Category 4, H312: Acute toxicity (Dermal) Category 4 H318: Serious eye damage Category 1 H315: Skin irritation Category 2 H400: Acute aquatic toxicity Category 1 H412: Chronic aquatic toxicity Category 3
alkyl polyglucosides	9016-45-9	<5	H318 Causes serious eye damage. H402 Harmful to aquatic life.
Cocamidopropyl betaine	61789-40-0	<5	H315 Causes skin irritation. H319 Causes serious eye irritation
Ingredients determined to be non-hazardous	Various	To 100	None

Advanced SE Maxpak TLC

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

4. First Aid Measures

General For advice, contact a Poisons Information Centre (Australia 13 11

26) or a doctor. If swallowed, do NOT induce vomiting. Immediately

give a glass of water.

Inhalation If fumes or combustion products are inhaled remove from

contaminated area.

Lay patient down. Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be

removed, where possible, prior to initiating first aid

procedures.

Apply artificial respiration if not breathing, preferably with a demand

valve resuscitator, bag-valve mask device, or pocket

mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.

Skin: If skin contact occurs:

Immediately remove all contaminated clothing, including footwear.

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and

away from eye and moving the eyelids by occasionally

lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek

medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

Ingestion: If swallowed do NOT induce vomiting.

If vomiting occurs, lean patient forward or place on left side (head-

down position, if possible) to maintain open airway and

prevent aspiration.

Observe the patient carefully.

Never give liquid to a person showing signs of being sleepy or with

reduced awareness, i.e. becoming unconscious.

Give water to rinse out mouth, then provide liquid slowly and as

much as casualty can comfortably drink.

Seek medical advice.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media

Eyes

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should consider

Page 3 of 9 Maxpak TLC SDS Version 3.1 Created 6 July 2022

Advanced SE Maxpak TLC

surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider: foam.

Fire Fighting Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains

or water courses.

Use fire fighting procedures suitable for surrounding area.

Fire and Explosion Hazards

The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers.

Decomposes on heating and produces toxic fumes of:, carbon dioxide (CO2), phosphorus oxides (POx), metal oxides, other pyrolysis products typical of burning organic material. May emit corrosive fumes.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Minor Spills Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using

protective equipment.

Contain and absorb spill with sand, earth, inert material or

vermiculite.

Major Spills Minor hazard.

Clear area of personnel.

Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using

protective equipment as required.

7. Precautions for handling and storage

Precautions for safe handling

Precautions for Safe

Limit all unnecessary personal contact.

Handling

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid contact with incompatible materials.

DO NOT allow clothing wet with material to stay in contact with

skin

Other Information Store in original containers.

Keep containers securely sealed.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers.

Page 4 of 9 Maxpak TLC SDS Version 3.1 Created 6 July 2022

Storage

Advanced SE Maxpak TLC

Conditions for safe storage, including any incompatibilities

Suitable containers Polyethylene or polypropylene container.

Packing as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks. Avoid strong acids, acid chlorides, acid anhydrides and

Incompatibility chloroformates.

Avoid contact with copper, aluminium and their alloys.

Avoid reaction with oxidising agents.

8. Exposure controls /personal protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and

AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. Ventilation: This product should only be used in a well-ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Protective glasses or goggles must be worn when this Eye Protection

product is being used. Failure to protect your eyes may lead to severe harm to them or to general health. Emergency eye wash facilities must also be available in an area close to

where this product is being used.

Prevent skin contact by wearing impervious gloves, clothes Skin Protection and, preferably, apron. Make sure that all skin areas are

covered. See below for suitable material types.

We suggest that protective clothing be made from the

following materials: rubber, PVC.

Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally

necessary.

Eyebaths or eyewash stations and safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Protective Material

Types Respirator Advanced SE Maxpak TLC

9. Physical and chemical properties

Physical Description &

Clear light brown mobile liquid

colour:

Mint / butyl odour

Odour: pH

In concentrate: 9.5 - 10.5range

Vapour pressure: No data. Vapour Density: No data.

Boiling Point: Approximately 100°C (for liquid concentrate)

Boiling range
Melting point
Solubility in water
Specific Gravity

No data.
No data.
Miscible
1.03

Flash point Non Flammable

Solubility limits N/a

Per Cent Volatile Approximately 75% v/v

10. Stability and Reactivity

Reactivity This product is unlikely to react or decompose under normal

storage conditions. However, if you have any doubts, contact the

supplier for advice on shelf-life properties.

Conditions to Avoid Keep containers tightly closed.

Incompatible Materials | acids, zinc, tin, aluminium and their alloys.

Fire Decomposition Only small quantities of decomposition products are expected

from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and

unconsciousness followed by coma and death.

Polymerisation This product will not undergo polymerisation reactions.

11. Toxicological information

Local Effects:

Target Organs There is no data to hand indicating any particular target organs.

Classification of Hazardous Ingredients

Ingredient Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Ingredient Health effects:

Tetra potassium pyro Skin irritation and severe eye damage.

Page 6 of 9 Maxpak TLC SDS Version 3.1 Created 6 July 2022

Advanced SE Maxpak TLC

phosphate

Butyl glycol ether Alcohol ethoxylate

Alcohol polyglycoside

Skin irritation and severe eye damage.

Skin irritation and severe eye damage.

Skin irritation and severe eye damage.

Potential Health Effects

Inhalation

Short Term Exposure: Available data indicates that this product is not harmful. However, product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort. Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact

Short Term Exposure: This product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but if treated promptly, all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact

Short Term Exposure: This product is a severe eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product is a severe oral irritant. Symptoms may include extreme pain and reddening of skin in mouth and throat. Other symptoms such as blisters may also become evident and may last long after exposure has ceased. Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status

SWA NTP IARC No significant ingredient is classified as carcinogenic by SWA No significant ingredient is classified as carcinogenic by NTP. No significant ingredient is classified as carcinogenic by IARC.

12. Ecological information

Environmental

Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities. However, until diluted or neutralised it will kill all aquatic organisms it contacts due to extreme pH.

Advanced SE Maxpak TLC

13. Disposal considerations

Disposal

Containers should be emptied as completely as practical before disposal. If possible, recycle product and containers either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site.

14. Transport Information

UN Number This product is not classified as a Dangerous Good by ADG, IATA

or IMDG/IMSBC criteria. No special transport conditions are

necessary unless required by other regulations.

15. Regulatory Information

AICS All of the significant ingredients in this formulation are compliant

with NICNAS regulations.

16. Other information

Abbreviations

ES

Australian Inventory of Chemical Substances **AICS**

Unique Chemical Abstracts Service Registry Number **CAS Number**

Ecotoxic Concentration 50% — concentration in water which is EC50 fatal to 50% of a test population (e.g., daphnia, fish species)

Exposure Standard - The airborne concentration of a biological or

chemical agent to which a worker may be exposed in a workday **GHS**

Globally Harmonised System of Classification and Labelling of

Chemicals

Emergency action code of numbers and letters that provide **HAZCHEM Code**

information to emergency services, especially fire fighters

International Agency for Research on Cancer **IARC**

Lower Explosive Limit LEL

Lethal Dose 50% — dose which is fatal to 50% of a test LD50

population (usually rats).

Lethal Concentration 50% — concentration in air which is fatal to LC50

50% of a test population (usually rats)

National Industrial Chemicals Notification and Assessment **NICNAS**

Scheme

Peak Exposure Value: The maximum airborne concentration of a **Peak Limitation**

biological or chemical agent to which a worker may be exposed at

anv time.

Safety Data Sheet SDS

Short Term Exposure Limit - The maximum airborne STEL

concentration of a chemical or biological agent to which a worker may be exposed in any 15-minute period, provided the TWA is

not exceeded

Time Weighted Average — generally referred to ES averaged **TWA**

over typical workday (usually 8 hours)

Upper Explosive Limit UEL United Nations Number **UN Number**

> Page 8 of 9 Maxpak TLC SDS Version 3.1 Created 6 July 2022

Advanced SE Maxpak TLC

References

Data Unless otherwise stated comes from IUCLID datasheet for the

specific chemical.

NOHSC: 1003 National Occupational Health and Safety Commission 1995,

Exposure Standards for Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

[NOHSC:1003(199511

Prepared By
Date of Issue
Changes Made

Jon
5th c
Upda

Jon Sprinkhuizen 5th of July 2022

Update SDS to GHS format

References

Australian Dangerous Goods Code Preparation of Safety Data
Sheets for Hazardous Chemicals Code of Practice 2011.
Standard for the Uniform Scheduling of Medicines & Poisons

(SUSMP) Guidance

Contact Person/Point

Australia 24 HOUR EMERGENCY CONTACT Poisons

Information Centre 13 11 26

Legal Disclaimer

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS

INFORMATION.

End of MSDS