

Safety Data Sheet

1. Identification

Product Information. B224

Product Name: Fluorosil Odor Neutralizer - Citrus

Recommended Use. Professional Carpet Cleaning

Uses advised against. Professional Use Only

Supplier. Legend Brands

Prochem

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Flam. Liq. 4

GHS Pictograms

None required.

Signal Word

Warning

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Combustible liquid.

Precautionary Statements - Prevention.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

In case of fire: Use CO₂, dry chemical or foam to extinguish.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

| <u>Chemical Name</u> | CAS-No. | <u>Wt. %</u> |
|---|------------|--------------|
| Dipropylene glycol monomethyl ether | 34590-94-8 | 2.5-10 |
| Ethoxylated alcohols, C9-C11 | 68439-46-3 | 1.0-2.5 |
| Isopropyl alcohol | 67-63-0 | 1.0-2.5 |
| SODIUM LAURYL SULFATE | 151-21-3 | 0.1-1.0 |
| TERPENES AND TERPENOIDS, SWEET ORANGE-OIL | 68647-72-3 | 0.1-1.0 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance.

When symptoms persist or in all cases of doubt seek medical advice.

Inhalation

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂).

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Flash back possible over considerable distance. Hazardous decomposition products formed under fire conditions.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| <u>Chemical Name</u> | ACGIH TLV-TWA | ACGIH-TLV STEL | OSHA PEL-TWA | OSHA PEL-CEILING |
|-------------------------------------|---------------|----------------|--------------|------------------|
| Dipropylene glycol monomethyl ether | 100 ppm | 150 ppm | 100 ppm | N.E. |
| Isopropyl alcohol | 200 ppm | 400 ppm | 400 ppm | N.E. |

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical stateLiquidAppearanceClearColorBlueOdorCitrus

Odor Threshold No Information

pH 6.9

Melting/freezing point., °C (°F)

No Information
Flash Point., °C (°F)

61 (141.80)

Boiling point/boiling range., °C (°F) 83 - 324 (181.4 - 615.2)

Evaporation rateNo InformationExplosive properties.No InformationVapor pressure.No InformationVapor density.No Information

Specific Gravity. (g/cm³) 1.000
Water solubility. Soluble

Partition coefficient.No InformationAutoignition temperature.,°CNo InformationDecomposition Temperature °C.No InformationViscosity, kinematic.No Information

Other information.

Volatile organic compounds (VOC) content.

0.07% at 2 oz/gal.

Density, lb/gal

No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Strong oxidizing agents.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

Component Information.

| CAS-No. | Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------|-------------------------------------|------------------|------------------|----------------------|
| 34590-94-8 | Dipropylene glycol monomethyl ether | 5400 uL/kg | 9500 mg/kg | N.I. |
| | | | Rabbit | |
| 67-63-0 | Isopropyl alcohol | 5840 mg/kg (Rat) | 13,900 mg/kg (| N.I. |
| | | | Rabbit) | |
| 151-21-3 | SODIUM LAURYL SULFATE | 1288 mg/kg Rat | 200 mg/kg Rabbit | >3.9 mg/L Rat (Dust) |
| 68647-72-3 | TERPENES AND TERPENOIDS, SWEET | 4400 mg/kg (Rat) | >5 g/kg (Rabbit) | N.I. |
| | ORANGE-OIL | | | |

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

2.12% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|--|---|---|---|
| Dipropylene glycol monomethyl ether 34590-94-8 | - | LC50 96 h Pimephales promelas >10000 mg/L | LC50 48 h Daphnia magna 1919 mg/L |
| Isopropyl alcohol 67-63-0 | EC50 96 h Desmodesmus subspicatus >1000 mg/L, EC50 72 h Desmodesmus subspicatus >1000 mg/L | LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h Pimephales promelas 11130 mg/ L, LC50 96 h Lepomis macrochirus >1400000 µg/L | FC50 48 h Danhnia magna |

| | | LC50 96 h Pimephales promelas | |
|-----------------------|---------------------------------|----------------------------------|-----------------------------|
| | | 15 - 18.9 mg/L, LC50 96 h | |
| | | Pimephales promelas 8 - 12.5 | |
| | | mg/L, LC50 96 h Pimephales | |
| | EC50 72 h Desmodesmus | promelas 22.1 - 22.8 mg/L, LC50 | |
| | subspicatus 53 mg/L, EC50 96 h | 96 h Oncorhynchus mykiss 4.3 - | |
| | Desmodesmus subspicatus 30 - | 8.5 mg/L, LC50 96 h | |
| SODIUM LAURYL SULFATE | 100 mg/L, EC50 96 h | Oncorhynchus mykiss 4.62 mg/L, | EC50 48 h Daphnia magna 1.8 |
| 151-21-3 | Pseudokirchneriella subcapitata | LC50 96 h Oncorhynchus mykiss | mg/L |
| | 117 mg/L, EC50 96 h | 4.2 mg/L, LC50 96 h Brachydanio | |
| | Pseudokirchneriella subcapitata | rerio 7.97 mg/L, LC50 96 h | |
| | 3.59 - 15.6 mg/L | Brachydanio rerio 9.9 - 20.1 mg/ | |
| | | L, LC50 96 h Lepomis | |
| | | macrochirus 4.06 - 5.75 mg/L, | |
| | | LC50 96 h Lepomis macrochirus | |
| | | 4.2 - 4.8 mg | |

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

| <u>Chemical Name</u> | <u>log POW</u> |
|-------------------------------------|---|
| Dipropylene glycol monomethyl ether | -0.064 |
| Isopropyl alcohol | 0.05 |
| SODIUM LAURYL SULFATE | 1.6 |
| | Dipropylene glycol monomethyl ether Isopropyl alcohol |

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Hazard Class: Not regulated

<u>IMDG</u>

Hazard Class: Not regulated

IATA Not regulated

15. Regulatory Information

International Inventories:

TSCA Complies
DSL Complies
DSL/NDSL Complies

EINECS/ELINCS -

IECSC Complies

KECI -PICCS -

AICS Complies

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.
 PICCS Philippines Inventory of Chemicals and Chemical Substances.

AICS Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u> <u>CAS-No.</u> <u>Weight Percent</u>

Isopropyl alcohol 67-63-0 1.0-2.5

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:.

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

CALIFORNIA PROPOSITION 65 CARCINOGENS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:.

Chemical NameCAS-No.Ethylene oxide75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical NameCAS-No.Ethylene oxide75-21-8

16. Other Information

Revision Date: 5/8/2020 Supersedes Date: New SDS

Reason for revision: Periodic review

Datasheet produced by: Regulatory Department

HMIS Ratings:

| Health: | 0 | Flammability: | 2 | Physical Hazard: | 0 | Personal Protection: | В |
|---------|---|---------------|---|------------------|---|----------------------|---|
|---------|---|---------------|---|------------------|---|----------------------|---|

NFPA Ratings:

| MITAING | ii igo. | | | | | | |
|---------|---------|---------------|---|--------------|---|----------------------|---|
| Health: | 0 | Flammability: | 2 | Instability: | 0 | Physical & Chemical: | - |

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Product name.: B224 Fluorosil Odor Neutralizer - Citrus